



LPU410-4

POWER UNIT FOR AHL-LIGHT 1

The LPU410-4 is a high-performance light power unit designed specifically for the Ahlberg Cameras LED Light AHL-LIGHT 1 that is often used in combination with an inspection camera or similar installations.

The LPU400-series offers up to 4 channels of seamlessly controllable light outputs. The outputs are controlled by front-panel-mounted control knobs. The outputs work with a constant current design, meaning that the system adapts to power loss in cables and enables the LED lights to perform with max efficiency.

APPLICATIONS

- Power and control unit for the lights AHL-LIGHT 1.

BENEFITS

- Wide band of the power supply input 120 to 240 V AC 50/60 Hz.
- Individually controlled outputs for up to four units, or paired outputs with two units per channel for up to eight lights in total.
- Outputs are short-circuit-, over-current-, and over voltage protected.

SPECIFICATIONS

| | |
|--------------------|--------------------------------------|
| Dimensions (HxWxD) | 88 x 483 x 375 mm (3.5"x19.0"x14.8") |
| Weight | 4.3 kg (9.5 lbs) |
| Housing material | Powder coated aluminium |
| Power supply | 120-240 VAC / 50-60Hz / 130 W |



We reserve the right to alter specifications without prior notice

LPU410-4 IMAGES



We reserve the right to alter specifications without prior notice

LPU400-SERIES DIMENSIONS



We reserve the right to alter specifications without prior notice